

#### nCorona Virus Outbreak Control and Prevention State Cell Health & Family Welfare Department Government of Kerala

# MATRIX FOR DISCHARGE OF PERSONS FROM HOME ISOLATION/HOSPITAL ISOLATION BASED ON RISK ASSESSMENT GRID 19-02-2020

## DEFINITION FOR DAY OF STARTING ISOLATION:

Day of isolation to be counted from the day of arrival in Kerala or day of last contact with persons from countries with reported ongoing transmission of nCoV virus which ever is later.

# Risk categories\*:

# High Risk:

- 1. Contact with a confirmed case of nCoV respiratory disease
- 2. Traveller who visited a hospital where nCoV cases are being treated
- 3. Traveller from the exact province where ongoing nCoV cases detected and transmission is reported.
- 4. Touched body fluids of patients (respiratory tract secretions, blood, vomitus, saliva, urine, faeces)
- 5. Had direct physical contact with the body of the patient including physical examination
- 6. Touched or cleaned the linens, clothes or dishes of the patient
- 7. Close contact, within 3 feet (1 metre) of the confirmed case
- 8. Passenger of the aeroplane with a confirmed nCoV passenger: Co-passengers seated in the same row, 3 rows in front and 3 rows behind. (ref:GUIDANCE DOCUMENT FOR POEs, STATES AND UTs FOR SURVEILLANCE OF 2019-nCoV; <a href="https://mohfw.gov.in/node/4904">https://mohfw.gov.in/node/4904</a>)

## Low Risk:

1. Shared the same space (same classroom/same room for work or similar and not having high exposure to the confirmed/suspected case)

2. Travel in the same environment (bus/train/flight) but not having high risk exposure as cited above

| Sl no | CATEGORY             | REMARKS                                   | DISCHARGE CRITERIA  |
|-------|----------------------|---|---|
| 1     | CONFIRMED nCoV CASES | Irrespective of last test result          | 28 Days of isolation from 1st day of hospitalisation. Or 14 days from last negative result which ever is later. |
| 2a    | RETURNED FROM WUHAN  | Symptomatic or asymptomatic-test positive | 28 Days of isolation from1st day of hospitalisation. Or 14 days from last negative result which ever is later.  |
| 2b    | RETURNED FROM WUHAN  | LOW RISK -asymptomatic, Test negative     | Release after 14 days of initiation of isolation  |
| 2c    | RETURNED FROM WUHAN  | LOW RISK Symptomatic-Test<br>Negative.    | Release after 14 days of initiation of isolation  |
| 2d    | RETURNED FROM WUHAN  | HIGH RISK-irrespective of test result     | 28 days of strict home isolation.   |
| 3a    | RETURNED FROM CHINA  | Symptomatic or asymptomatic-test positive | 28 Days of isolation from 1st day of hospitalisation. Or 14 days from last negative result which ever is later. |
| 3b    | RETURNED FROM CHINA  | LOW RISK -asymptomatic                    | Release after 14 days of initiation of isolation.   |
| 3с    | RETURNED FROM CHINA  | LOW RISK Symptomatic-Test<br>Negative.    | Release after 14 days of initiation of isolation  |
| 3d    | RETURNED FROM CHINA  | HIGH RISK                                 | 28 days of strict home isolation.   |

| Sl no | CATEGORY   | REMARKS                                       | DISCHARGE CRITERIA   |
|-------|--|---|--|
| 4a    | PRIMARY CONTACTS OF<br>CONFIRMED CASE  | Symptomatic or asymptomatic-test positive     | 28 Days of isolation from1st day of hospitalisation. Or 14 days from last negative result which ever is later. |
| 4b    | PRIMARY CONTACTS OF<br>CONFIRMED CASE  | Symptomatic or asymptomatic-<br>negative test | 28 Days of strict home isolation   |
| 5.a   | SECONDARY CONTACTS   | If symptomatic and if test is positive-       | 28 Days of isolation from1st day of hospitalisation. Or 14 days from last negative result which ever is later. |
| 5.b   | SECONDARY CONTACTS   | If symptomatic and if test is negative-       | Release after 14 days of initiation of isolation   |
| 5.c   | SECONDARY CONTACTS   | If asymptomatic no testing required           | Release after 14 days of initiation of isolation   |
| 6.a   | RETURNED FROM SINGAPORE,<br>MALAYSIA, THAILAND, HONG<br>KONG, VIETNAM, TAIWAN,<br>JAPAN, SOUTH KOREA | HIGH RISK*                                    | 28 Days of strict home isolation   |
| 6.b   | RETURNED FROM SINGAPORE,<br>MALAYSIA, THAILAND, HONG<br>KONG, VIETNAM, TAIWAN,<br>JAPAN, SOUTH KOREA | LOW RISK*                                     | NO ISOLATION   |
| 7.a   | RETURNED FROM USA,<br>FRANCE, GERMANY, UK  | HIGH RISK*                                    | 28 Days of strict home isolation   |
| 7.b   | RETURNED FROM USA,<br>FRANCE, GERMANY, UK  | LOW RISK*                                     | NO ISOLATION   |
| 8.a   | OTHER COUNTRIES  | HIGH RISK*                                    | Release after 28 days of initiation of isolation   |

| Sl no | CATEGORY  | REMARKS                             | DISCHARGE CRITERIA   |
|-------|---|-------------------------------------|--|
| 8.b   | OTHER COUNTRIES   | LOW RISK*                           | NO ISOLATION   |
| 9.a   | Local Contacts of people coming<br>from countries with reported<br>ongoing transmission | If symptomatic and test positive-   | 28 Days of isolation from 1st day of hospitalisation. Or 14 days from last negative result which ever is later.      |
| 9b    | Local Contacts of people coming from<br>countries with reported ongoing<br>transmission | If symptomatic and test negative-   | Avoid non-essential travel, large community/social contact, Self reporting in case of onset of respiratory symptoms. |
| 9c    | Local Contacts of people coming from countries with reported ongoing transmission       | If asymptomatic                     | Avoid non-essential travel, large community/social contact, Self reporting in case of onset of respiratory symptoms. |
| 10.a  | HEALTH CARE PROVIDER<br>HAVING CONTACT WITH A<br>CONFIRMED CASE                         | If symptomatic and test is positive | 28 Days of isolation from1st day of hospitalisation .  |
|       | HEALTH CARE PROVIDER<br>HAVING CONTACT WITH A<br>CONFIRMED CASE                         | If symptomatic and test is negative | Release after 14 days of initiation of isolation   |

| Sl no | CATEGORY  | REMARKS                          | DISCHARGE CRITERIA |   |
|-------|---|----------------------------------|--------------------|---|
| 10.c  | HEALTH CARE PROVIDER<br>HAVING CONTACT WITH A<br>CONFIRMED CASE | Asymptomatic-no testing required | No isolation       | - |

## Foot Note:

- Isolation period of all members of a family will end on the same day as that of the person for whom the isolation was initiated.
   Decision on other case scenarios may be taken by the institutional medical boards at designated nodal centres based on risk assessment.

PRINCIPAL SECRETARY