

COVID-19 Outbreak Control and Prevention State Cell Health & Family Welfare Department

Government of Kerala

ADVISORY FOR PERFORMING RAPID ANTIGEN DIAGNOSTIC ASSAY FOR COVID-19

NO: 31/F2/2020/H&FWD- 2nd July 2020

The ICMR has recommended rapid antigen assay kit for diagnosis of COVID-19. This is a <u>point of care</u> rapid chromatographic immunoassay for qualitative detection of specific antigens to SARS-CoV-2. The test has moderate sensitivity but very high specificity. This can be used to rule in the disease. The assay approved by ICMR is known as "Standard Q COVID-19 Ag kit"

1.KEY NOTE REGRADING RAPID ANTIGEN DIAGNOSTIC ASSAY

- Nasopharyngeal secretion is the biological sample to be taken for antigen-based testing. ONLY a nasopharyngeal swab should be taken for rapid antigen-based test using standard Q Ag-kit
- 2. Each test kit comes with an in built COVID antigen test device, viral extraction tube with viral lysis buffer and sterile swab for sample collection.
- 3. The swab should be immersed and squeezed in the viral extraction buffer, provided with the kit. This buffer inactivates the virus thereby reducing biosafety and biosecurity requirements. The test does not work if the sample is collected in the usual Viral Transport Media (VTM), routinely used for collection of OP/NP swabs. The usual VTM or Modified VTM should not be used for sample collection
- 4. Once the sample goes into the extraction buffer, it should be mixed properly and the buffer tube cap needs to be replaced with a nozzle provided with the kit and 2-3 drops of the sample with buffer are to be put into the well of the test strip.
- 5. The test can be interpreted as positive or negative after 15 minutes of putting the sample into the well by appearance of test and control lines, which can be read with a naked eye, requiring no specialized equipment. Maximum duration for interpreting a positive or negative test is 30 minutes.



- 6. The results should be interpreted by a Senior Lab Technician/ Microbiologist/ Medical Doctor.
- 7. The DSO shall constitute or utilise the sample collection teams already formed based on previous advisories issued related to testing. WISK (Walk in Sample Kiosks)/ Mobile Medical Collection units could be used for sample collection.
- 8. A testing facility (Clean space/ Clean Room) may be set up in places where samples are collected. The samples collected should be collected and tested within one hour and time should not be wasted in sending the samples to the laboratory far away.
- 9. The test strip should be discarded after interpreting according to the Biomedical waste management rules.
- 10. The test kit should be stored between 2° to 30° C.

2. SETTINGS FOR APPLICATION OF RAPID ANTIGEN ASSAY TESTS

- 1. Airport for testing expatriates
- 2. Sentinel Surveillance
- 3. Testing in Cluster Containment Zones

2.1 AIRPORT

All symptomatic people arriving at airport need to be isolated to COVID hospital / CFLTC and to be offered RTPCR.

All other people eligible as per the GO (Rt) No 31/ F2/2020/ Health- 25^{th} June 2020 need to be tested. Antigen-based test may be used for testing expatriates.

Sample Requisition Form (SRF) for the same is attached as annexure 1 & 2. Annexure 1 alone can be used if real time request through ICMR portal can happen.



2.2 SENTINEL SURVEILLANCE

Antigen based tests could be used for sentinel surveillance. Groups for sentinel surveillance as per advisory issued on sentinel surveillance on 14th May are as follows:

Gr -1	Patients in general population with Acute Respiratory Infection (ARI)	
Gr- 2	Health Care Workers in Non-COVID settings	 a. Hospitals (Doctors, Nurses, Paramedics etc) b. General Practitioners c. Ambulance Drivers d. Others
Gr- 3	Persons with high social exposure	 a. Food delivery persons b. Community Volunteers (ASHA, LSG volunteer) c. Provisions shop vendors d. Ration Shop e. wholesale fruits or vegetable vendors f. Police Personnel g. Media Personnel h. Health Staff at Field (JHI, JPHN etc)
Gr- 4	Natives of Kerala who came in close contact with Truck Drivers arriving from outside state	a. Head load workers b. Vendors in market places c. Street vendors d. Warehouse- in- charges e. People at Vehicle Transit Camps (no travel history) f. FSW& MSM
Gr- 5	Guest workers	-
Gr- 6	Epidemiological Samples	-
Gr- 7	Samples from Expatriates/ People with Travel history outside state in last 14 days.	 b) Person with travel history from red zone districts (outside Kerala) c) Persons with travel history outside Kerala not belonging to above two sub-categories

^{*}Gr-7a has been removed from this form.

Sample Requisition form for the same is attached as annexure- 1 & 3. Annexure 1 alone can be used if real time request through ICMR portal can happen.



2.3 TESTING IN CLUSTER CONTAINMENT ZONE

Antigen based tests could be used for augmented testing in cluster containment zones.

Rapid Antige	en Test for COVID-19. (Standard Q COVID- Ag Kit)
Cluster Category	Description
Cluster category-1	Health Care Workers in the cluster containment zone:
	1a. Hospitals (Doctors, Nurses, Paramedics etc) in the cluster
(Health Care Workers in	containment area
cluster containment	1b. General Practitioners in local clinics
zone)	1c. Health Staff at Field (JHI, JPHN etc)
	1d. ASHA, Anganwadi worker
	1e. Ambulance Drivers
	1f. Others.
Cluster Category-2	Persons with high Social Exposure in the cluster containment
	zone:
(Persons with high	AND AND AND AND AND ADMINISTRATION OF THE PARTY OF THE PA
Social Exposure in the	A CONTRACTOR OF THE CONTRACTOR
cluster containment	and a districtly persons
zone)	2d. Ration shop/Provisions/fruits/vegetable shop
	vendors/shop owners
	2e. Police Personnel
	2f. Media Personnel
	2g. Auto/Taxi/Bus drivers
	2h. Persons in fuel pumps/stations
	2.i. Workers employed in cleaning public places
	2.J. Bank and other office staff
Cluster Category-3	2.k. others
Closier Calegory-3	3.General Population:
(General population- to	a. Pregnant women
be sampled)	b. Post natal women
a campica)	c. Elderly (>60 yrs)d. Children less than 10yrs
	e. Persons with co-morbidities
	f. Others
	. 0111013
Cluster Category-4	4.Guest workers
(Guest workers in the	
cluster containment	
zone)	
Cluster Category-5	5. Epidemiological samples: People in the neighbourhood of
(Epidemiological	confirmed cases but not having any history any contact
samples- Neighbours	with the confirmed case or travel history.
around the confirmed	



case but without exposure to the case or travel history)

a. Sampling method for Cluster Category-3: General Population

Wards/Divisions to be randomly selected. Various simple random sampling methods like calculator method, lottery method, simple random generator applications etc may be used for this purpose. The DSO shall execute this process. Medical officers in charge and supervisors of respective institutions shall provide the updated information to the DSO.

Once the wards are selected a sufficiently large map of each ward should be selected and placed on a table. A pen or pencil should be placed on the map and rotated. The closest road/street on which the fine point of the pen or pencil stops rotating should be selected for the survey. Five such roads/streets should be randomly selected using the method described earlier before starting the survey. The sampling collection can start from either end of the road/street (both sides) to select 5 houses. Once 5 houses are selected and sampled the sample collection team can move to the other selected roads/streets. A maximum of two members in the house can be sampled according to the priority mentioned below:

- a. Pregnant women
- b. Post natal women
- c. Elderly (>60 yrs)
- d. Children less than 10yrs
- e. Persons with co-morbidities
- f. Others

b. Cluster Category-4: Guest workers

A sample of the guest workers in each panchayath and municipality should be tested.

The DSO shall list all the guest worker camps in **LSG divisions**. Medical officers in charge and supervisors of respective institutions shall provide the updated information to the DSO.

From the list of camps in each LSGs, camps should be randomly selected from the list using simple random sampling methods described earlier.



The sample collection team shall visit the camps and make a list of all the workers present at the time and choose **5** workers using simple random methods and collect the biological samples and test.

- c. CLUSTER CATEGORY-5: Epidemiological samples- People in the neighbourhood of confirmed cases (no history) but not having any history of contact with the confirmed case or travel history outside the state/country in the last 14 days are eligible to be selected. 50 houses around the residence of confirmed cases without history should be selected for the purpose. All the individuals in the household may be selected. The DSO may take additional samples or modify the area of collection based on the epidemiological situation of the area.
- **d.** The Medical Officer in charge of the area shall identify the testing facilities/laboratories/institutions and persons in charge for this purpose in the cluster containment zone so as to provide the test as <u>a point of care test.</u>
- e. SRF for the same is attached as Annexure 1 & 4. Annexure 1 alone can be used if real time request through ICMR portal can happen.

3.INTERPRETATION OF TEST RESULTS

All positive samples are to be treated as confirmed cases and manged as per the existing guidelines. No need to reconfirm the positive results with any tests.

If the sample is negative in a <u>symptomatic person</u>, RT-PCR should be performed on a fresh sample from the patient. All COVID suspects to complete their quarantine period even if the test result is negative.

Further Information: ICMR guidelines regarding antigen tests can be obtained through the following link. https://www.icmr.gov.in/pdf/covid/strategy/Advisory for rapid antigen_test14062020.pdf. Video available at https://www.youtube.com/watch?v=mBdaOHJWxl4&feature=youtu.be



4. RECORDING AND REPORTING

The DSO shall register with **ICMR** to obtain the login credentials for data entry though the email ID: <u>ag-govthosp@icmr.gov.in.</u> All test_results (both positive and negative) are also to be entered in ICMR portal with the log in ID and password issued by ICMR for the purpose.

The DSO should also register in the **Kerala government online portal** (**Healthmon**) for real time reporting. All results should be entered in the following link: https://healthmon.kerala.gov.in/rapidtest real time.

Daily Summary (12 noon-12 noon of previous day) of total tests should be entered at 12 noon every day at https://healthmon.kerala.gov.in/rapidtest under daily summary

Principal Secretary



Annexure-1

Annexure 1


NEW RPT

SRF ID								
Patient Name								
Phone number								
Lab Name					 			
Routine sample	1	refer on	teann	lieti		TDC	D	
Sentinel surveillance Airport surveillance		refer ca	ory S	\$ _	П	RTPC XPER RUE	T NAT	
Routine sample Sentinel surveillance Airport surveillance Cluster containment			ory S	\$ _	П	XPER	T NAT	
Sentinel surveillance Airport surveillance		S Categ	ory S	\$ _	П	XPER RUE	T NAT	
Sentinel surveillance Airport surveillance Cluster containment (Please tick relevant box		S Categ	ory S	\$ _	П	XPER RUE	T NAT	



Category Of Samples For Ready Reference At Collection Centre & Laboratories.

Category	ICMR Routine samples
1	Symptomatic international traveler in last 14 days
2	Symptomatic contact of lab confirmed case
3	Symptomatic health care worker/ frontline worker
4	Hospitalised SARI patient
5a	Asymptomatic direct high risk contact of lab confirmed case(family member)
5b	Asymptomatic health care worker in contact with confirmed case without adequate protection
6	Influenza like illness(ILI) in hospital
7	Pregnant woman in/near labor
8	Symptomatic (ILI) among returnees & migrants(within 7 days of illness)
9	Symptomatic ILI patient in Hotspot/ Containment
Others	-Please specify; select only if patient does not belong to category 1-8 OR -sentinel surveillance samples





1

CLUSTER CATEGORY	CLUSTER CONTAINMENT CATEGORIES
CC 1a	Hospitals (Doctors, Nurses, Paramedics etc) in the cluster containment area
CC 1b	General Practitioners in local clinics
CC 1e	Health Staff in the Field (JHI, JPHN etc)
CC 1d	ASHA, Anganwadi worker
CC 1e	Ambulance Drivers
CC If	Others.
CC 2a	LSG Members
CC 2b	LSG Volunteers
CC 2e	Food delivery persons
CC 2d	Ration shop/Provisions/fruits/vegetable shop vendors/shop owners
CC 2e	Police Personnel
CC 2f	Media Personnel
CC 2g	Auto/Taxi/Bus drivers
CC 2h	Persons in fuel pumps/stations
CC 2i	Workers employed in cleaning public places
CC 2j	Bank and other office staff
CC 2k	others
CC 3a	Pregnant women
CC 3b	Postnatal women
CC 3e	Elderly (>60 yrs)
CC 3d	Children less than 10yrs
CC 3e	Persons with co-morbidities
CC 3f	Others
CC 4	Guest workers in the cluster containment zone
CC 5	Epidemiological samples in cluster containment zone



Annexure 2 Government of Kerala COVID-19 TESTING AT AIRPORT USING RAPID ANTIGEN ASSAY

		A MANUAL COLOR	
Name:	*		
Age:		Gender: Mal	e/ Female/ Other
Address			
District		Phone Numbe	er:
Name of LSG			
1. Is the subject S): Symptomatic? Y	ES / NO	
2. If Symptomatic	c; data of onset o	of first symptoms: _	
andard Q Test	Positive	Negative	Inconclusive



Annexure 3: **Government of Kerala**

SA	MPLE ID NO:/	/ (DISTRICT /DATE/SAMPLE NO.)
N	ame:	
Age:		Gender: Male/ Female/ Other
A	ddress	
Di	strict	Phone Number:
N	ame of LSG	
	population with Acute Respiratory Infection (ARI)	
- 2	Health Care Workers in Non-COVID settings	e. Hospitals (Doctors, Nurses, Paramedics etc) f. General Practitioners
	Health Care Workers in Non-COVID settings	f. General Practitionersg. Ambulance Driversh. Others
- 2	Health Care Workers in	f. General Practitioners g. Ambulance Drivers

f. FSW& MSM

history)

e. People at Vehicle Transit Camps (no travel



Gr- 7	Samples from Expatriates/ People with Travel history outside state in last 14
	outside state in last 14 days.

b) Person with travel history from red zone districts (outside Kerala)
c) Persons with travel history outside Kerala not belonging to above two sub-categories

Standard Q Test Result:	Positive	Negative	Inconclusive	
1105011.				



Annexure 4 Government of Kerala RAPID ANTIGEN ASSAY IN CLUSTER CONTAINMENT ZONES SAMPLE ID NO: ______/SQ/ _____ /____ (LSG name /SQ/DATE/SAMPLE NO.)

[eg. Ponnani/**SQ**/03-07-2020/ 004]

			4				
Name			LSG				
Age:			Gender: Male/ Female/ Other				
Phone Number						Markette . 181	
District		an jaki e k					
Address			T			per m mana	
Occupation	н					1 1-1-1 172 25	
Symptoms:	Yes	Date of onset:		Proviously	y diagnosed	Vos/No	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	/N 0	//	••••	with COV		Yes/No	
Travel outside Kerala /country in last 14 days	Yes If yes		Physiological status		ical status	Pregnant / postnatal / lactating	
Travelled outside the containment zone in the last 14 days:	Yes /N o	If yes	•••••	Comorbio	dity	Yes/No	
Contact with any COVID suspect:	Yes /N o						
Rapi	d Anti	gen Assay COVID)-19. (S	tandard Q	COVID- Aa K	(it)	
Cluster group				Descrip			
Cluster group-1 (Health Care Workers in cluster containment zone)	1a.H area 1b. C JPHN		Nurses ers in I	s, Paramec	lics etc) in the	e cluster containment Staff in the Field (JHI,	
Cluster group-2	Perso	ons with high Soci	al Exp	osure in the	cluster cent	ginment zener	
(Persons with high Social Exposure in the cluster containment zone)	2a. L 2d. R 2e. P 2h. F publi	SG Members 2b Pation shop/Provis Police Personnel	o. LSG ions/fr 2f . Me imps/s	Volunteers uits/vegeto edia Person tations 2	2.c Food dable shop ver able 1 2g . Auto	elivery persons adors/shop owners	
Cluster group-3	3.GA	neral Population	Unice	, 31UII 2	.k. omers		
3 2 1 1 1 1 1 1 1 1 1 1			en (3.b Postno	atal women	3.c Elderly (>60	

yrs)



	3.d. Children less than 10yrs 3.e. Persons with co-morbidities 3.f. Others	
Cluster group-4 (Guest workers in the cluster containment zone)		
Cluster group-5 (Epidemiological samples)	5.Epidemiological samples in cluster containment zone	

Standard Q Test Result:	Positive	Negative	Inconclusive
----------------------------	----------	----------	--------------